Weed Technology, Volume 14
Author Index

Akemo, M. C., 545
Al-Khatib, K., 133, 750
Albers-Nelson, M. R., 463
Alldredge, J. R., 423
Alm, D. M., 713
Anderson, R. L., 45, 602, 630
Askew, S. D., 176
Ayeni, A. O., 140

Bailey, W. A., 402
Baker, R. V., 122
Balague, J. M., 274
Ballard, T. O., 150
Barnes, T. G., 223
Batts, R. B., 77
Baudin, J. G., 274
Baughmann, T. A., 116
Beck, K. G., 351
Beckie, H. J., 366, 428
Bell, G. E., 635
Bellinder, R. R., 30
Bennett, A. C., 530
Bennett, M. A., 545, 562
Blackshaw, R. E., 327, 389
Blum, R. R., 357
Bollich, P. K., 89
Bradley, P. R., 15, 57, 495
Brecke, B. J., 1, 51
Brewer, K., 218
Bridges, D. C., 51
Bridges, W. C., 471
Briggs, G., 798
Bryson, C. T., 116
Buesinger, M. L., 57, 495
Burns, A. B., 89

Call, N. M., 246
Chandler, K., 578, 755
Chandran, R. S., 556
Charudattan, R., 1
Chase, C. A., 488
Clay, S. A., 268
Clayton, G. W., 624
Coats, G. E., 246, 591
Coble, H. D., 246
Colquhoun, J. B., 30
Corrigan, K. A., 569
Culpepper, A. S., 19, 77
Currie, R. S., 188, 397

Deen, W., 755
Dhima, K. V., 524
Dick, R., 718
Doll, J., 236
Donald, W. W., 36
Donaldson, S. G., 511
Duncan, R. R., 675

Eberlein, C. V., 182, 287
Eiswerth, M. E., 511
Eleftherohorinos, I. G., 524

Feng, P.C.C., 127
Forcella, F., 298
Foy, C. L., 312, 764, 807, 819

Gallandt, E. R., 423
Galloway, B. A., 241
Gealy, D. R., 406
Gilreath, J. P., 488
Glenn, S., 476
Goad, C. L., 463
Green, J. M., 764, 819
Grey, T. L., 51
Grichar, W. J., 218
Griffin, J. L., 66
Guttieri, M. J., 182, 287

Hagood, E. S., 667
Hall, J. C., 647
Hall, J. K., 94
Hall, L. M., 428, 624
Hamill, A. S., 106, 578
Hancock, H. G., 699
Hanson, G. E., 705
Hardebeck, G. A., 550
Harker, K. N., 624
Harrison, S. K., 156, 562
Hart, S. E., 57, 495
Hartberg, T. J., 150
Hartzler, R. G., 246
Harvey, R. G., 377, 502, 569
Hashem, A., 718
Hatzios, K. K., 667
Hayes, R. M., 100
Hazen, J. L., 773
Heap, I. M., 428
Hess, F. D., 807
Holloway, J. C., Jr., 617
Holm, F. A., 167, 608, 692

Isakson, P. J., 750
Isgrigg, J., III, 357
Isleib, T. G., 402

Jennings, K. M., 77
Johnson, B. J., 675
Johnson, Q. R., 279
Johnson, W. C., III, 519
Johnson, W. G., 15, 57, 495
Johnson, W. S., 511
Jones, R. E., 337
Jordan, D. L., 66, 89
Juroszek, P., 586

Kadir, J. B., 1
Kalnay, P. A., 476
Kapusta, G., 161
Kells, J. J., 596, 734
Kelly, S. T., 246, 591
King, B. A., 182
Kirkland, K. J., 167, 608, 692
Kirkwyland, J. J., 30

Knezevic, S. Z., 578
Koutroubas, S. D., 383
Krausz, R. F., 161
Kuzmic, R. M., 635

Langston, V. B., 402
Lass, L. W., 539
Légère, A., 366
Leif, J. W., 150
Li, X., 327
Li, Z., 699
Lloveras, J., 274
Locascio, S. J., 488
Loux, M. M., 480
Lowe, D. B., 72, 471
Lym, R. G., 642

Mahnken, G. W., 705
Majek, B. A., 140
Martin, A. R., 304, 586
Martin, D. L., 635
Martin, S. B., 72
Mason, S. C., 304
Massey, R. E., 57, 495
Matthews, J. L., 161
Matysiak, R., 740
Mavrotas, C., 383
McAndrew, D. W., 726
McCarty, L. B., 72, 471
McMullan, P., 764, 792
Medd, R. W., 337
Mickelson, J. A., 502
Miller, D. K., 66
Miller, S. D., 647
Minton, B., 218
Mitich, L. W., 231, 446, 659, 826
Molnar, L. J., 327
Monks, D. W., 241, 279
Morozov, I. V., 312
Morris, W. H., 321
Mortensen, D. A., 586
Mueller, T. C., 100
Muendel, H.-H., 327
Mullinix, B. G., Jr., 519
Murray, D. S., 463

Nalewaja, J. D., 740
Neeser, C., 586
Nelson, J. A., 642
Ntanos, D. A., 383

O'Donovan, J. T., 389, 624, 726
Ohmes, G. A., 100
Oliver, L. R., 413
Olson, B. L. S., 750
Owen, M. D. K., 647

Palmer, E. W., 617
Payne, S. A., 413
Penner, D., 734, 785
Perez-Fernandez, T., 246

Peterson, D. E., 133
Pline, W. A., 667
Prather, T. S., 647
Price, W. J., 539

Radosevich, S. R., 718
Reddy, K. N., 204, 293, 455, 457
Regehr, D. L., 133
Regnier, E. E., 545, 562
Reicher, Z. J., 550
Riedel, R. M., 156
Rippee, J. H., 397
Roggenkamp, G. J., 304

Saindon, G., 327
Saldain, N. E., 406
Sammons, D., 127
Sandbrink, J. J., 127
Schmoll, J. T., 562
Schultheis, J. R., 241
Sebastian, J. R., 351
Semach, G. P., 389
Serrano, M., 274
Sestak, D. C., 218
Shafii, B., 539
Shaner, D. L., 647
Shaw, D. R., 116, 176, 321, 530, 617
Shrestha, A., 578, 755
Sikkema, P. H., 578
Singh, M., 556, 647
Smeda, R. J., 15, 397, 428
Smith, D. B., 321
Smith, D. T., 122
Snipes, C. E., 116
Solie, J. B., 635
Spears, J. F., 402
Stackler, J. M., 734
Stahlman, P. W., 750
Stall, W. M., 1
Steele, G. L., 122
Stevenson, F. C., 167, 366, 608, 692
Stock, D., 798
Stoller, E. W., 713
Stone, M. L., 635
Strahan, R. E., 66
Street, J. E., 176
Stump, W. L., 7
Swanton, C. J., 578, 755

Talbert, R. E., 406
Tardif, F. J., 578
Taylor, K. L., 246
Tharp, B. E., 596
Thill, D. C., 539
Thomas, A. G., 366
Thompson, C. R., 188
Throssell, C. S., 550
Tonks, D. J., 287
Tworkoski, T. J., 191, 197

Underwood, A. K., 765

Van Eerd, L. L., 647
Vangessel, M. J., 140, 279
Vanlieshout, L. A., 480
Vasilakoglou, I. B., 524
Vass, G. D., 191, 197
Vaughn, K. C., 647
Venkatesh, R., 156
Verhalen, L. M., 463
Vollmer, J. L., 150

Walker, D. M., 89
Walker, R. H., 699
Wallace, R. W., 30
Washburn, B. E., 223
Watts, D. W., 94
Wax, L. M., 713
Weaver, S. E., 106
Webster, E. P., 116, 321
Wehtje, G., 699
Weisenberger, D. V., 550
Welker, W. V., 191, 197
Weller, S. C., 647
Westra, P., 7
Westwood, J. H., 312
Whiting, K., 204, 455
Whitwell, T., 72, 471
Wicks, G. A., 705
Wiecko, G., 686
Wilcut, J. W., 402
Williams, B. J., 377
Wolf, R., 268
Wrage, L. J., 268

Yelverton, F. H., 357
Yenish, J. P., 212
York, A. C., 19, 77
Young, B. G., 161
Young, F. L., 212, 423

Zhang, J., 106
Zollinger, R. K., 814

Weed Technology, Volume 14
Subject Index

ABUTH, 57, 127, 261, 304, 495
Abutilon theophrasti Medic., 261
Abutilon theophrasti (L.) Medicus, 569
Abutilon theophrasti Medik., 127, 304
Abutilon theophrasti (L.) Medikus, 495
AC 263, 222, 223
Acalypha ostryifolia Riddell, 218
ACCOS, 218
acetochlor, 57, 161, 298, 495, 502
acifluorfen, 133, 204, 268, 321, 617
activator, 773
additive competitive design, 252
adjuvant, 740
AEGCY, 423, 750
Aegilops cylindrica Host, 423, 750
AILAL, 197
ailanthus, 197
Ailanthus altissima (Mill.) Swingle, 197
airborne charge-coupled devices, 539
alachlor, 304
allelopathy, 545
ALS inhibitor resistance, 268
alternate hosts, 156
AMAAR, 218
AMACH, 19, 77, 140, 545
AMAPA, 19, 122, 218
Amaranthus arenicola I.M. Johnst., 218
Amaranthus hybridus L., 19, 77, 140, 545
Amaranthus palmeri S. Wats., 19, 122, 218
Amaranthus retroflexus L., 30, 182, 287, 298, 578, 602, 667, 705
Amaranthus rudis Sauer, 57, 495
AMARE, 30, 182, 287, 578, 602, 667, 705
AMATA, 57, 495
AMBEL, 19, 77, 140, 150, 578, 667
AMBGR, 188
Ambrosia artemisiifolia L., 19, 77, 140, 150, 578, 667
Ambrosia grayi (A. Nels.) shinners, 188
2-amino-4-(hydroxymethylphosphinyl) butanoic acid, 77
[(4-amino-3,5-dichloro-6-fluoro-2-pyridinyl)oxy]acetic acid, 188
4-amino-3,5,6-trichloro-2-pyridinecarboxylic acid, 188, 252, 351
4-amino-6-(1,1-dimethylethyl)-3-(methylthio)-1,2,4-triazin-5(4*H*)-one, 161, 182, 287
ammonium nitrate, 740
ammonium sulfate, 268
annual ryegrass, 337, 596
antagonism, 15, 556, 740
APCCA, 476
Aphthona spp., 642
Apocynum cannabinum L., 476
application parameters, 167
aquatic weeds, 511
Arachis hypogaea L. 'AgriTech GK7', 51
Arachis hypogaea L. 'AT VC 1', 402
Arachis hypogaea L. 'Florunner', 51
Arachis hypogaea L. 'Georgia Green', 51
Arachis hypogaea L. 'Georgia Runner', 519
Arachis hypogaea L. 'GK-7', 218
Arachis hypogaea L. 'N90010E', 402
Arachis hypogaea L. 'NC-7', 51, 402
Arachis hypogaea L. 'NC 9', 402
Arachis hypogaea L. 'NC 10C', 402
Arachis hypogaea L. 'NC 12C', 402
Arachis hypogaea L. 'NC-V 11', 402
Arachis hypogaea L. 'Spanco', 51
Arachis hypogaea L. 'Sunoleic 95R', 51
Arachis hypogaea L. 'VAC 92R', 402
Arachis hypogaea L. 'ViruGard', 51
aryloxyphenoxypropanoate, 366
Asclepoias syriaca L., 667
ASCSY, 667
atrazine, 15, 57, 133, 261, 304, 495, 578, 705
AVEFA, 167, 337, 366, 608, 624
AVELU, 337
Avena fatua L., 167, 337, 366, 608, 624
Avena ludoviciana Dur., 337
Avena sativa L., 287
AVESA, 287, 596
Azafenidin, 556
Azimsulfuron, 524

ball mustard, 726
banana pepper, 241
barley, 624, 692
barnyardgrass, 161, 383, 413, 480, 524, 578, 705
BAY FOE 5043, 161
bell pepper, 241
bentazon, 204, 268, 279, 327, 357, 635
bermudagrass, 72, 357, 471, 675, 686
Bidens alba, 556
Bidens leucantha, 556
Bidens pilosa L., 556
BIDPI, 556
bioassay, 428
biomass production, 718
biocontrol, 642
biological control of weeds, 1
2-[[[[[4,6-bis(difluoromethoxy)-2-pyrimidinyl]amino]carbonyl]amino]sulfonyl] benzoic acid, 66, 133
Brachiaria playtphylla (Griseb.) Nash, 19, 77
Brachiaria ramosa (L.) Stapf, 204
BRAPP, 19, 77
Brassica juncea (L.) Czern. et Coss., 182
broadleaf signalgrass, 19, 77
bromoxynil, 19, 133, 268, 530
bromoxynil-resistant cotton, 19
Bromus secalinus L., 750
Bromus tectorum L., 750
BROSE, 750
BROTE, 750
browntop millet, 204
BRSJU 'Common Brown', 182
Brunnichia ovata (Walt.) Shinners, 457
BRVCI, 457
bur ragweed, 188

Canada thistle, 351
canopy, 586
CAPBP, 156, 726
Capsella bursa-pastoris (L.) Med., 156
Capsella bursa-pastoris (L.) Medik., 726
Capsicum annuum L., 241, 488
carpetweed, 19, 77
CASOB, 19, 77, 204, 530, 667, 699
CASOC, 699
Cassia occidentalis L., 699
CENSO, 539
Centaurea solstitialis L., 539
Cercospora arachidicola Hori, 402
Cercosporidium personatum (Berk. et Curt.), 402
CGA 184927, 167
CGA-152005, 133, 218
CGA-154281, 596
CGA-277476, 133, 617
CHEAL, 19, 30, 57, 77, 140, 182, 287, 298, 480, 495, 545, 569, 578, 667, 726
cheat, 197, 750
chemical control, 252
chemigation, 182
Chenopodium album L., 19, 30, 77, 140, 182, 287, 298, 480, 495, 545, 569, 578, 667, 726
chlorimuron, 77, 133, 204, 293, 480, 569, 617
2-chloro-*N*-(ethoxymethyl)-*N*-(2-ethyl-6-methylphenyl)acetimide, 57, 161, 298
2-chloro-*N*-[(1-methyl-2-methoxy)ethyl]-*N*-(2,4-dimethyl-thien-3-yl)-acetamide, 77, 293, 578
2-chloro-*N*-(2-ethyl-6-methylphenyl)-*N*-(2-methoxy-1-methylethyl)acetamide, 30, 57, 72, 161, 182, 279
2-chloro-*N*-(2,4-dimethyl-3-thienyl)-*N*-(2-methoxy-1-methylethyl) acetamide, 161, 204, 261, 569
2-chloro-*N*-(2,6-diethylphenyl)-*N*-(methoxymethyl)acetamide, 304
2-chloro-*N*-[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]benzenesulfonamide, 351
2-chloro-4-(ethylamino)-6-amino-*s*-triazine, 191
2-chloro-4,6-diamino-*s*-triazine, 191
2-chloro-6-[(4,6-dimethoxy-2-pyrimidinyl)thio]benzoic acid, 19, 116
2-[[4-chloro-6-(ethylamino)-1,3,5-triazin-2-yl]amino]-2-methylpropanenitrile, 377
2-[[[[(4-chloro-6-methoxy-2-pyrimidinyl) amino]carbonyl]amino]sulfonyl]-benzoic acid, 133, 204
(±)-2-(4-chloro-2-methylphenoxy)propanoic acid, 246

(±)-2-[4-[(6-chloro-2-benzoxazolyl)oxy]-phenoxy]propanoic acid, 167
2-[(2-chlorophenyl)methyl]-4,4-dimethyl-3-isoxazolidinone, 89, 140, 241
3-chloro-2-[[(5-ethoxy-7-fluoro-[1,2,4]triazolo[1,5-*c*]pyrimidin-2yl)-sulfonyl]amino]benzoic acid, 133, 279, 293
(4-chloro-2-methylphenoxy)acetic acid, 246, 268
4-chloro-5-(methylamino)-2-(3-(trifluoromethyl)phenyl)-3(2*H*)-pyridazinone, 116
5-chloro-3-(1,1-dimethylethyl)-6-methyl-2,4(1*H*,3*H*)-pyrimidinedione, 191, 197
5-[2-chloro-4-(trifluoromethyl)phenoxy]-*N*-(methylsulfonyl)-2-nitrobenzamide, 77
5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-nitrobenzoic acid, 133, 204, 321
6-chloro-*N*-ethyl-*N'*-(1-methylethyl)-1,3,5-triazine-2,4-diamine, 15, 57, 133, 261, 304
6-chloro-*N,N'*-diethyl-1,3,5-triazine-2,4-diamine, 191, 197
chlorsulfuron, 351
CIRAR, 351
Cirsium arvense (L.) Scop., 351
clethodim, 176
clomazone, 89, 140, 241, 569
clopyralid, 133, 188, 351, 591
cloransulam, 133, 279, 293, 569
coffee senna, 699
combinations, 569
common bermudagrass, 591, 635
common centipedegrass, 591
common cocklebur, 19, 57, 116, 321, 463, 495
common lambsquarters, 19, 30, 77, 287, 298, 480, 495, 545, 569, 578, 667, 726
common milkweed, 667
common ragweed, 19, 77, 150, 578
common St. Augustinegrass, 591
common sunflower, 133
common waterhemp, 57, 495
competition, 122, 389, 463
conditional kappa, 539
conservation tillage, 705
Conyza canadensis (L.) Cronq., 705
corn, 36, 45, 57, 66, 94, 106, 133, 161, 261, 298, 304, 495, 502, 578, 630, 705, 713
corn yield, 57, 495
cotton, 19, 100, 116, 122
cotton yield, 19
critical period of interference, 45
critical period of weed control, 755
critical weed removal period, 140
crop injury, 89
crop oil, 773
crop oil concentrate, 66
crop tolerance, 279
cultural weed control, 519
cutleaf groundcherry, 77
cyanazine, 377
cyclohexanedione, 366
5-cyclopropyl-4-(2-methyl-sulphonyl-4-trifluoromethyl-benzoyl)isoxazole, 133
cyhalofop-butyl, 383
cylindrocladium black rot, 402
Cylindrocladium crotalariae (Loos) Bell et Sobers, 402
CYNDA, 357, 591, 675, 686
Cynodon dactylon Burtt-Davey X *C. transvaalensis* L. Pers. 'Tifway', 72, 471
Cynodon dactylon (L.) Pers., 357, 591, 675, 686
Cynodon dactylon (L.) Pers. X *C. transvaalensis* Burtt-Davy, Midlawn, 635
Cynodon dactylon (L.) Pers. OKS 91–11, 635
Cynodon transvaalensis X *C. dactylon* 'TifEagle', 675
Cynodon transvaalensis X *C. dactylon* 'Tifway', 675
Cyperus esculentus L., 72, 161, 204, 357, 556, 667
Cyperus rotundus L., 1, 357
CYPES, 72, 161, 204, 357, 556, 667
CYPRO, 1, 357

2,4-D, 133, 188, 246, 268, 351, 591, 635, 705,734
Dactylaria, 1
database, 106
DATST, 19
Datura stramonium L., 19
D. higginsii (Luttrell) M. B. Ellis, 1
DAUCA, 734
Daucus carota L., 734
decision aid, 423
degradation, 100
delayed planting, 602, 713
deposition, 321
Descurainia sophia (L.) Webb. *ex* Prantl., 726
desethylsimazine, 191
desiccation, 212, 530
DESSO, 726
3,5-dibromo-4-hydroxybenzonitrile, 19, 268
dicamba, 57, 94, 133, 188, 246, 261, 268, 351, 476, 495, 562, 578, 591, 635, 705
3-(dichloroacetyl)-2,2,5-trimethyloxazolidine, 596
4-(dichloroacetyl)-3,4-dihydro-3-methyl-2*H*-1,4-benzoxazine, 596
(2,4-dichlorophenoxy)acetic acid, 133, 188, 246, 268, 351, 734
(±)-2-(2,4-dichlorophenoxy)propanoic acid, 246
(±)-2-[4-(2,4-dichlorophenoxy)phenoxy]-propanoic acid, 337
3,6-dichloro-2-methoxybenzoic acid, 57, 94, 133, 188, 246, 268, 351
3,6-dichloro-2-pyridinecarboxylic acid, 188, 351
dichlorprop, 246, 591
dicloflop-methyl
diclosulam, 293, 402
di-desethylsimazine, 191
differential response, 734
Digitaria sanguinalis (L.) Scop., 19, 30, 550, 578, 740
DIGSA, 19, 30, 550, 578
(±)-2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1*H*-imidazol-2-yl]-4(and 5)-methylbenzoic acid (3:2), 167, 274
(±)-2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1*H*-imidazol-2-yl]-5-methyl-3-pyridinecarboxylic acid, 51, 223
2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1*H*-imidazol-2-yl]-3-quinolinecarboxylic acid, 72, 77, 204, 293, 357
2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1*H*-imidazol-2-yl]-5-ethyl-3-pyridinecarboxylic acid, 133, 140, 150, 279, 327
2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1*H*-imidazol-2-yl]-5-(methoxymethyl)-3-pyridinecarboxylic acid, 279, 327
1,1'-dimethyl-4,4'-bipyridinium dichloride, 51
2-[[[[(4,6-dimethyoxy-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]-*N,N*-dimethyl-3-pyridinecarboxamide, 66, 377, 740
2-[[[[(4,6-dimethyl-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]benzoic acid, 133, 617
2,6-dinitro-*N,N*-dipropyl-4-(trifluoromethyl)benzenamine, 341
Diodia virginiana (L.), 246, 591
DIQVI, 246, 591
direct seeded, 463
discriminating dose, 428
disease interaction, 402
dithiopyr, 550
diuron, 191, 197
dormancy, 7
downy brome, 750
drought, 713
duram wheat, 274
dynamic programming, 337

early leaf spot, 402
early preplant, 161
early-maturing soybean, 530
ebb and flow irrigation, 241
ECHCG, 161, 327, 383, 413, 480, 524, 705
ECHCR, 578
Echinochloa crus-galli (L.) Beauv., 161, 383, 413, 480, 524, 578, 705
ECLAL, 77, 218
eclipta, 77, 218
Eclipta prostrata L., 77, 218
ecofallow, 705
economic impacts, 511
economic optimum thresholds, 337
economic return(s), 57, 167, 495, 692
economics, 337
(*E,E*)-(±)-2-[1-[[(3-chloro-2-propenyl)oxy]imino]propyl]-5-[2-(ethyl-thio)propyl]-3-hydroxy-2-cyclohexen-1-one, 176
efficacy, 321
Egyptian broomrape, 312
ELEIN, 19, 77, 686
Eleusine indica (L.) Gaertn., 19, 77, 686
emergence period, 45
entireleaf morningglory, 77, 293, 617
environment, 713

environmental conditions, 150
EPHES, 642
EPHHS, 204, 293
EPTC, 287, 377, 596
ERACN, 705
Eragrostis cilianensis (All.) E. Mosher, 705
ERBVI, 502
Eremochloa ophiuroides (Munro) Hack., 591
ERICA, 705
Eriochloa villosa (Thunb.) Kunth, 502
ERLOP, 591
EROCI, 389
Erodium cicutarium (L.) L'Her. ex Ait., 389
ethalfluralin, 287, 327
ethofumesate, 675
(±)-2-ethoxy-1-methyl-2-oxoethyl-5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-nitrobenzoate, 133, 279
2-[1-(ethoxyimino)butyl]-5-[2-(ethylthio)propyl]-3-hydroxy-2-cyclohexen-1-one, 176
2-[1-(ethoxyimino)propyl]-3-hydroxy-5-(2,4,6-trimethylphenyl)cyclohex-2-enone, 167, 274, 608
ethyl 2-[[[[(4-chloro-6-methoxy-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]benzoate, 77, 293
1-(2-ethylsulfonylimidazol[1,2-a]pyridin-3-ylsulfonyl)-3-(4,6-dimethoxypyrimidin-2-yl)urea, 750
Euphorbia esula L., 642
Euphorbia hyssopifolia L., 204, 293
Eurasian watermilfoil, 511
extra large kernels, 402

fall panicum, 77
fancy pods, 402
fenoxaprop-p-ethyl, 167
feral rye, 7
feral rye management, 7
FESAR, 197, 223, 252
fescue conversion, 223
Festuca arundinacea Schreb., 197, 223
Festuca arundinacea Schreb. 'Kentucky 31', 252
fiber quality, 19, 122
field pea, 545
field pennycress, 156, 726
fixweed, 726
flamprop-methyl, 167, 337
flea beetles, 642
flex-tine cultivator, 30
float irrigation, 241
fluazifop-P, 176, 397
flumetsulam, 133, 279
fluometuron, 19, 116
fluroxypyr, 188, 591
flurprimidol, 675
fomesafen, 77, 617
foxtail millet, 182, 630
fruit orchards, 197
fungal pathogen, 1

Galinsoga parviflora Cav., 545
GASPA, 545
germination, 212, 406, 530
giant foxtail, 161, 261, 480, 495, 569, 667
glufosinate, 77, 495, 530, 578, 667
glufosinate-resistant crop, 495
glufosinate-resistant soybean, 667
Glycine max (L.) Merr., 106, 268, 279, 480, 569, 586, 705
Glycine max (L.) Merr. 'Asgrow 4501 RR', 667
Glycine max (L.) Merr. 'Asgrow 5403 LL', 77
Glycine max (L.) Merr. 'Asgrow 5547 LL', 77, 667
Glycine max (L.) Merr. 'Asgrow 5601', 100
Glycine max (L.) Merr. 'Asgrow 5602 RR', 77
Glycine max (L.) Merr. 'Asgrow 6785', 699
Glycine max (L.) Merr. 'Carver', 699
Glycine max (L.) Merr. 'Corsoy 79', 156
Glycine max (L.) Merr. 'Delta King 5961 RR', 413
Glycine max (L.) Merr. 'DP 3571 S', 204
Glycine max (L.) Merr. 'DP 3588', 204, 293
Glycine max (L.) Merr. 'DP 3606', 699
Glycine max (L.) Merr. 'DP 5806 RR', 204
Glycine max (L.) Merr. 'Hartz 4464', 176
Glycine max (L.) Merr. 'Hartz 4994', 617
Glycine max (L.) Merr. 'Hartz 5566 RR', 77
Glycine max (L.) Merr. 'Manokin', 463
Glycine max (L.) Merr. 'NK 4260', 530
Glycine max (L.) Merr. 'Pioneer 9381', 36
Glycine max (L.) Merr. 'Pioneer 9592', 617
Glycine max (L.) Merr. 'S14-M7', 755
Glycine max (L.) Merr. 'Southern States FFR 595', 77
Glycine max (L.) Merr. 'Stine 3264', 133
Glycine max (L.) Merr. 'Stonewall', 699
Glycine max (L.) Merr. 'Terra-Vig 5452', 176
Glycine max (L.) Merr. 'Williams 82', 713
GLYMA, 705
glyphosate, 15, 19, 57, 77, 100, 127, 133, 140, 188, 204, 212, 223, 337, 413, 457, 480, 488, 530, 569, 667, 705
glyphosate economics, 413
glyphosate formulations, 127
glyphosate-resistant cotton, 19
glyphosate-resistant soybean, 667
glyphosate ± residuals, 140
golden crownbeard, 218
goosegrass, 19, 77, 686
Gossypium hirsutum L., 122
Gossypium hirsutum L. 'Deltapine 51', 19
Gossypium hirsutum L. 'DES-119, 116
Gossypium hirsutum L. 'Paymaster 1220RR', 19, 100
Gossypium hirsutum L. 'Stoneville BXN 47', 19
grade parameters, 402
grain sorghum, 397
grain yield, 304
graminicides, 167
green foxtail, 287, 298, 304, 705, 726
green kyllinga, 471
groundnut, 218, 519
groundwater contamination, 562
growth regulator, 734

hairy beggarticks, 556
hairy nightshade, 287
half-life, 100
halosulfuron, 72, 357
halosulfuron-methyl, 635
hard red spring wheat, 167, 608, 692
hard-red winter wheat, 750
harvest aid, 212
Helianthus annuus L., 133
hemp dogbane, 476
hemp sesbania, 204, 413, 530, 617
henbit, 156
herbicide(s), 106, 212, 252, 304
herbicide additives, 667
herbicide application, 182
herbicide application timing, 502
herbicide bioassay, 562
herbicide diffusion, 807
herbicide injury, 488
herbicide interaction, 556
herbicide movement, 191
herbicide rate(s), 274, 502
herbicide reduction, 30
herbicide resistance, 524, 734
herbicide susceptibility, 51
herbicide tolerance, 241, 699
herbicide-resistant crops, 77
Heterodera glycines Ichinohe, 156
hophornbeam copperleaf, 218
Hordeum vulgare L., 692
Hordeum vulgare L. 'C Lacombe', 624
Hordeum vulgare L. 'C Dawn', 624
Hordeum vulgare L. 'CDC Earl', 624
Hordeum vulgare L. 'Falcon', 624
Hordeum vulgare L. 'Harrington', 624
Hordeum vulgare L. 'Phoenix', 624
Hordeum vulgare L. 'Seebe', 624
horsenettle, 667
horseweed, 705
horse purslane, 617
HPLC, 100
hull-less barley, 624
hybrid bermudagrass, 635, 675
hybrid tonweed, 591
hybridization, 397
hydrophile/lipophile balance, 807
2-hydroxy-4,6-bis(ethyl-amino)-*s*-triazine, 191
hydroxysimazine, 191
hyssop spurge, 204, 293

ICIA 0604, 167, 608
image analysis, 539, 586
imazamethabenz, 167, 274
imazamox, 279, 327
imazapic, 51
imazaquin, 72, 77, 204, 293, 357, 480, 617, 635
imazethapyr, 133, 140, 150, 268, 279, 327, 480, 569
increased seeding rate, 602, 630
Indian mustard, 182
injury, 287
inoculum culture, 312

integrated management, 351
integrated weed control, 304
integrated weed management, 156, 298, 327, 337, 578, 692, 755
intensive tillage, 726
interference, 463
interrow cultivation, 298
interseeded cover crops, 596
invasive species, 511
invasive weed control, 642
IPOHE, 57, 140, 218, 667
IPOHG, 77, 293, 617
IPOLA, 19, 57, 116, 204, 218, 293, 413, 530, 617, 667
Ipomoea hederacea, 667
Ipomoea hederacea (L.) Jacq., 218
Ipomoea hederaceae (L.) Moench., 57, 140
Ipomoea hederacea var. *integriuscula* Gray, 77, 293, 617
Ipomoea lacunosa, 667
Ipomoea lacunosa L., 19, 116, 204, 218, 293, 413, 530, 617
Ipomoea purpurea (L.) Roth, 19, 77
Ipomoea spp., 495
irrigation, 274
isopropylamine salt, 457
isopropylamine salt of N-(phosphonomethyl)glycine, 100
Italian ryegrass, 718
itchgrass, 66
ivyleaf morningglory, 57, 218

jimsonweed, 19
johnsongrass, 77, 197, 397
jointed goatgrass, 423, 750

KCHSC, 268, 705
Kentucky bluegrass, 550
kochia, 268, 705
Kochia scoparia (L.) Schrad., 268, 705
Kyllinga brevifolia Rottb., 471

lactofen, 133, 268, 279
ladysthumb, 545
LAMAM, 156
Lamium amplexicaule L., 156
Lamium purpureum L., 156
LAMPU, 156
large crabgrass, 19, 30, 550, 578, 740
late leaf spot, 402
leaching, 94
leaf stage, 167
leafy spurge, 642
Lens culinaris Medic., 692
lentil, 692
Liberty Link soybean, 77
light intensity, 699
lima bean, 279
linuron, 30, 480
Lolium multiflorum (Lam), 718
Lolium rigidum, 337
LOLMU, 718
low-rate input, 713
Lycopersicon esculentum L. 'Trust', 562

management of herbicide resistance, 366
MCPA, 246, 268
mechanical weed control, 30
mecoprop, 246, 635
membrane leakage, 699
1-(4-methoxy-6-methyl-triazin-2-yl)-3-[2-(3,3,3-trifluoropropyl)-phenylsulfonyl]-urea, 133, 218
2-[[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl) amino]carbonyl]amino]sulfonyl] benzoic acid, 246
2-[[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)methylamino]carbonyl]amino]sulfonyl]benzoic acid, 268
α-(1-methyl-ethyl)-α-[4-(trifluoromethoxy)-phenyl]-5-pyrimidine-methanol, 675
3-(1-methylethyl)-(1*H*)-2,1,3-benzothiadiazin-4(3*H*)-one 2,2-dioxide, 204, 279, 327, 357
3-[[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]amino]sulfonyl]-2-thiophenecarboxylic acid, 161
methyl 3-[[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]-amino]-sulfonyl]-2-thiophenecarboxylic acid, 268
methyl-5-{[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonylaminosulfonyl}-3-chloro-1-methyl-1-*H*-pyrazole-4-carboxylate, 72, 357
methyl ester, 293
methylated seed oil, 66
metolachlor, 30, 57, 72, 133, 161, 182, 279, 293, 495, 578, 596
metribuzin, 161, 182, 268, 287, 480, 635, 686
metsulfuron, 246
minimum tillage, 726
mixed cropping, 545
modeling, 337
moderate tillage, 726
molinate, 383
Mollugo verticillata L., 19, 77
MOLVE, 19, 77
MON 37500, 750
'MON802', 57
monosodium methanearsonate, 19
monosodium salt of methylarsonic acid, 72, 357
morningglory, 495
mowing, 36
MSMA, 19, 72, 357, 635, 686
multiway frequency analysis, 366
mycoherbicide, 1
MYPSP, 511
Myriophyllum spicatum L., 511

napropamide, 241
N-benzoyl-*N*-(3-chloro-4-fluorophenyl)-*DL*-alanine, 167, 337
NDVI, 635
NEAPA, 726
Neslia paniculata (L.) Desv., 726
net present value, 337
N-ethyl-*N*-(2-methyl-2-propenyl)-2,6-dinitro-4-(trifluoromethyl)benzenamine, 287, 327
N-(1-ethylpropyl)-3,4-dimethyl-2,6-dinitrobenzenamine, 19, 287
N-[2,4-dichloro-5-[4-(difluoromethyl)]-4,5-dihydro-3-methyl-5-oxo-1*H*-1,2,4-triazol-1-yl]phenyl]methanesulfonamide, 51, 100, 279, 293, 357
N-(2,6-dichlorophenyl)-5-ethoxy-7-fluoro[1,2,4]triazolo-[1,5-α]pyrimidine-2-sulfonamide, 293
N-(2,6-difluorophenyl)-5-methyl[-1,2,4] triazolo[1,5-*c*]pyrimidine-2-sulfonamide, 279
N'-(3,4-dichlorophenyl)-*N*-methoxy-*N*-methylurea, 30
N'-(3,4-dichlorophenyl)-*N,N*-dimethylurea, 191, 197
N-(4-fluorophenyl)-*N*-(1-methylethyl)-2-[[5-trifluoromethyl)-1,3,4-thiadiazol-2-yl]oxy]acetamide, 161
N-[[(4,6-dimethoxy-2-pyrimidinyl) amino]carbonyl]-3-(ethylsufonyl)-2-pyridinesulfonamide, 161, 287
N,N-diethyl-2-(1-napthalenyloxy)-propanamide, 241
N,N-dimethyl-*N'*-[3-(trifluoromethyl) phenyl]urea, 19, 116
N-(phosphonomethyl)glycine, 15, 19, 57, 77, 127, 133. 140, 188, 204, 212, 223, 337
nicosulfuron, 66, 377, 502, 713, 740
nitrogen concentration in seeds and shoots, 718
nitrogen placement, 602, 630
nitrogen uptake, 718
nitrogen use efficiency, 718
nodulation, 312
noncrop weed management, 351
nonionic surfactant, 66
nontransgenic soybean, 77
norflurazon, 116
no-till, 713
no-tillage, 705

optimum dose rate, 337
ORAAE, 312
ORAMI, 312
organosilicone surfactant, 66
Orobanche aegyptiaca Pers., 312
Orobanche minor Sm., 312
ORYSA, 176, 406
Oryza sativa L., 176, 406, 524
Oryza sativa L. 'Alan', 406
Oryza sativa L. 'Cypress', 89
Oryza sativa L. 'Ispaniki A.', 383
other kernels, 402
outcrossing, 397
overhead irrigation, 241
overseeded cover crops, 596
3-oxetanyl-ester, 133
oxyfluorfen, 530

Palmer amaranth, 19, 122, 218
PAMIL, 45
pan lysimeters, 94
PANCA, 705
PANDI, 77, 140
Panicum capillare L., 705

Panicum dichotomiflorum Michx., 77, 140
Panicum milaceum L., 45, 377
Panicum milaceum L. 'Cope', 602
Panicum milaceum L. 'Sunup', 602
PANMI, 377
PANRA, 204
paraquat, 530
paraquat-dichloride, 51
parasitic weeds, 312
partition coefficient, 807
Paspalum vaginatum Swartz, 675
Paspalum vaginatum Swartz 'K-3', 675
Paspalum vaginatum Swartz 'Sea Isle 1', 675
Paspalum vaginatum Swartz 'Sea Isle 2000', 675
PASVA, 675
peanut, 51, 218, 402, 519
peanut cultivar, 51
peanut injury, 51
peanut yield, 51
peat pot, 463
peat tablet, 463
pelargonic acid, 667
pendimethalin, 19, 268, 287, 569, 596
Pennsylvania smartweed, 298, 480, 495
pepper, 241, 488
perennial weed control, 188
permeance, 807
Phaseolus lunatus L. '8–78', 279
Phaseolus lunatus L. 'Concentrated Fordhook', 279
Phaseolus lunatus L. 'Eastland', 279
Phaseolus lunatus L. 'F1072', 279
Phaseolus lunatus L. 'M-15', 279
Phaseolus lunatus L. 'M-408', 279
Phaseolus lunatus L. 'Packers', 279
Phaseolus vulgaris L. 'Ember', 327
PHYAN, 77
PHBPU, 19, 77
Physalis angulata L., 77
phytotoxicity, 635
picloram, 188, 252, 351
Pisum sativum L., 545
pitted morningglory, 19, 116, 204, 218, 293, 413, 530, 617
plant density, 327
plastic insert, 463
POAPR, 550
Poa pratensis L. 'America', 550
poison ivy, 197
POLCO, 327, 726
POLPE, 545
POLPY, 57, 298, 480, 495
POLSC, 327
Polygonum convolvulus L., 726
Polygonum pensylvanicum (L.), 298, 480, 495
Polygonum persicaria L., 545
population dynamics, 7
postemergence, 161, 218
postemergence herbicide, 635
postemergence herbicide absorption, 807
potassium salt of 3,6-dichloro-2-methoxybenzoic acid, 261
potato, 30, 182, 287
PP-604, 274
precision agriculture, 182
preemergence, 161, 218
preemergence herbicide(s), 298, 550
prickly sida, 19, 77, 204, 293, 413, 617
primisulfuron, 66, 133
prodiamine, 635
progeny seed germination, 718
pronamide, 635
propagation methods, 463
propanil, 383, 524
2-propynyl-(*R*)-2-[4-(5-chloro-3-fluoro-2-pyridyloxy)-phynoxy]-propionate, 167
proso millet, 45, 602
Protox, 699
purple deadnettle, 156
purple nutsedge, 1, 357
pyrithiobac, 19, 100, 116

quinclorac, 524
quizalofop-P, 176

R-29148, 596
rainfastness, 457
recreation, 511
red clover, 312, 596
red rice, 176, 406
red rice emergence depth, 406
redroot pigweed, 30, 287, 298, 578, 602, 705
redstem filaree, 389
reduced input, 304
reduced rates, 106
redvine, 457
regrowth, 457
remote sensing, 539
resistant biotype, 524
retention, 127
rhizobacteria, 312
Rhizobium leguminosarum bv. *trifolii*, 312
rice, 89, 383, 406, 524
rigid ryegrass, 337
rimsulfuron, 133, 161, 287
ROOEX, 66
rototilling, 36
Rottboellia cochinchinensis (Lour.) W. Clayton, 66
Roundup Ready soybean, 77
row spacing, 327, 630
'Rox Orange' sorghum and shattercane, 15
RPA 201772, 133
(*R*)-2-[4-[(6-chloro-2-quinoxalinyl)-oxy] phenoxy]propanoic acid, 176
(*R*)-2-[4-[[5-(trifluoromethyl)-2-pyridinyl]oxy]phenoxy]propanoic acid, 176
runoff, 94
rye, 545
ryegrass harvest index, 718

Salsola collina Pall., 705
SAN 582, 77, 204, 261, 293, 569, 578
SAN 582H, 161
sandhills amaranth, 218
scarification, 556
Sclerotium rolfsii Sacc., 402
seashore paspalum, 675
SEBEX, 413, 530, 617
Secal cereale L., 7
Secal cereale L. 'Wheeler', 545
SECCE, 7
seed burial, 7
seed sampling, 428
seedling emergence, 298
selection, 197
semidwarf barley, 624
Senna obtusifolia, 667, 699
Senna obtusifolia (L.) Irwin and Barneby, 19, 77, 204
Senna obtusifolia (L.) Irwin et Barnaby, 530
sequential, 569
Sesbania exaltata (Raf.) Cory., 413
Sesbania exaltata (Raf.) *ex* A.W. Hill, 530
Sesbania exaltata (Raf.) Rydb. *ex* A.W. Hill, 204, 617
Setaria faberi Herm., 161, 261, 480, 495, 569, 667
Setaria glauca (L.) Beauv., 30, 578
Setaria italica (L.) Beauv., 182
Setaria italica (L.) Beauv. 'Golden German', 630
Setaria viridis (L.) Beauv., 287, 298, 304, 705, 726
SETFA, 36, 57, 161, 261, 480, 495, 569, 667
SETGL, 578
sethoxydim, 176, 502
sethoxydim-resistant corn, 502
S-ethyl dipropyl carbamothioate, 287, 377
SETIT, 182
SETLU, 30
SETVI, 287, 298, 304, 327, 705, 726
shattercane, 495
shepherd's-purse, 156, 726
sicklepod, 19, 77, 204, 530, 699
Sida spinosa L., 19, 77, 204, 293, 413, 617
SIDSP, 19, 77, 204, 293, 413, 617
simazine, 191, 197
simulated drift, 488
site of action, 428
small broomrape, 312
small red dry bean, 327
smallflower galinsoga, 545
smooth pigweed, 19, 77, 545
sodium bicarbonate, 740
sodium chlorate, 530
sodium 2-chloro-6-[(4,6 dimethoxy-2-pyrimidinyl)thio]benzoate, 100
sodium salt, 116
soil seedbank, 389
soil texture, 406
Solanum carolinense L., 667
Solanum khasianum C. B. Clarke var. *chatterjeeanum* Sengupta, 252
Solanum sarrachoides Sendter, 287
Solanum tuberosum L. 'Katahdin', 30
Solanum tuberosum L. 'Russet Burbank', 182, 287
Solanum viarum Dunal, 252
SOLCA, 667
SOLSA, 287, 327
SOLTU, 182
SOVLI, 252

Sorghum bicolor (L.) Moench, 15, 495
Sorghum bicolor (L.) Moench 'AKS-82', 397
Sorghum bicolor (L.) Moench 'TX622', 397
Sorghum halepense (L.) Pers., 77, 397
SORHA, 77, 397
SORVU, 15, 57, 495
sound mature kernels, 402
sound splits, 402
southern stem rot, 402
soybean, 36, 77, 100, 106, 133, 156, 176, 204, 268, 279, 293, 413, 463, 480, 530, 569, 586, 617, 667, 699, 705, 713, 755
soybean cyst nematode, 156
spanish needles, 556
specific leaf area, 718
spectral acquisition, 635
spray mixture pH, 608
spray technology, 740
spring wheat, 212, 389
Stenotaphurm secundatum (Walt.) Ktze., 591
stimulation, 556
stinkgrass, 705
STPSE, 591
sulfentrazone, 51, 100, 279, 293, 357, 699
sulfonylurea herbicides, 268
surfactant, 15, 773, 785
surfactant mechanism of action, 807
surveys, 428
sustainable agriculture, 36
sweet corn, 377

tall fescue, 197, 223, 252
tall morningglory, 19, 77
tank-mixed, 569
tank mixture(s), 480, 617
temperature, 457
terbacil, 191, 197
thiazopyr, 556
thifensulfuron, 133, 161, 268, 569, 713
THLAR, 156, 726
Thlaspi arvense L., 156, 726
tillage, 36, 602, 713
time of application, 608
timeliness, 298
tolerance, 287
tomato, 562
tomato spotted wilt virus, 402
total kernels, 402
track spray, 127
TRAES, 705
transgenic corn, 45
transgenic herbicide-resistant cotton, 19
translocation, 127
transplant timings, 463
TRFPR, 312, 596
Trianthema portulacastrum L., 617
triazine-resistant kochia, 705
tribenuron, 268
[(2,5,6-trichloro-2-pyridinyl)oxy]acetic acid, 252
triclopyr, 252, 635
trifluralin, 241
Trifolium pratense L., 312, 596
Triticum aestivum L., 45, 106, 268, 337, 423, 608, 692, 718
Triticum aestivum L. 'Alpowa', 212
Triticum aestivum L. 'CDC Makwa', 167
Triticum aestivum L. 'CDC Teal', 167
Triticum aestivum L., Jagger, 750
Triticum aestivum L. 'Neepawa', 389
Triticum aestivum L. 'Penewawa', 212
Triticum aestivum L. 'Arapahoe', 705
Triticum aestivum L., '2137', 750
Triticum turgidum L. var. *durum*, 274
tropical soda apple, 252
TRTPO, 617
tuber viability, 357
tumble thistle, 705
turfgrass cultural practices, 471
turfgrass injury, 635, 675
turfgrass quality, 635
turfgrass tolerance, 675

UAN, 750
undercutting, 545
uptake, 127, 457
urea, 740
urea ammonium nitrate-28% N, 750

variable-rate application technology, 182
variable-rate technology, 635
varietal sensitivity, 279
velvetleaf, 127, 261, 304, 495, 569
Verbesina enceliodes (Cav.) Benth et Hook, 218
VEREN, 218
videography, 539
Virginia buttonweed, 246
volunteer oat, 287
volunteer rye, 7

water volume, 608
weed competition, 7, 304, 471
weed control efficacy, 106
weed density, 252
weed detection, 539
weed ecology, 463, 471
weed ecotype, 150
weed interference, 167, 608, 692
weed management, 218, 357, 383
weed seed banks, 261
weed seed production, 304
weed seed yield, 389
weed shifts, 197
weed survey, 366
wetting agent, 773
wheat, 45, 106, 268, 337, 423, 718
wheat plant density, 389
wheat yield, 389
wild buckwheat, 726
wild carrot, 734
wild oat, 167, 337, 366, 608, 624
wild oat competition, 624
wild-proso millet, 377
winter wheat, 705
winter wild oat, 337
witchgrass, 705
woolly cupgrass, 502
woolly cupgrass seed production, 502
woollyleaf bursage, 188
woollyleaf franseria, 188

XANST, 19, 57, 116, 321, 463, 495
Xanthium strumarium L., 19, 57, 116, 321, 463, 495

yellow foxtail, 30, 197, 578
yellow nutsedge, 72, 161, 204, 357, 556, 667
yellow starthistle, 539

Zea mays L., 57, 94, 106, 261, 298, 304, 377, 495, 578, 705
Zea mays L. 'Cargill 6997', 133
Zea mays L. 'DeKalb DK493SR', 502
Zea mays L. 'DeKalb 689', 66
Zea mays L. 'DeKalb SR404', 502
Zea mays L. 'Pioneer 3335', 161
Zea mays L. 'Pioneer 3379', 36
Zea mays L. 'Pioneer 34A55', 495
Zea mays L. 'Pioneer 3417', 713
Zea mays L. 'Pioneer 3893', 630
Zea mays L. 'Pioneer hybrid 3732', 45
Zea mays L. 'Wilson 1640', 705
ZEAMX, 57, 495, 705
zero tillage, 726
ZOYMA, 591
Zoysia japonica Steud. 'Meyer', 591
Zoysiagrass, 591